

**ELECTRONIC DISPLAYS INC.**  
135 S. CHURCH STREET  
ADDISON, ILL. 60101  
*www.electronicdisplays.com*



### ED206-TZA-4F-N1-A/N - Four Field Programmable Time Zone Display



The ED206-TZA horizontal series time zone displays have bar segment time displays with a ten-character dot matrix digital zone label below to show locations around the world. Easy to program the time and location using PC software and an IR remote supplied. Every display includes a high accuracy crystal oscillator to keep accurate time and a USB device for programming.

- NEMA1 Rated Aluminum Enclosure: 63"L x 8"H x 2.5"D
- Black Powder Coat Finish and Bronze Acrylic Face
- Full Color LEDS for Both Time and Locations
- Bright 2.0" High LED Display with Four Time Zone Fields
- Bright, 1.6" High Alpha-Numeric Fixed or Moving Text Under Each Field
- Visible Up To 70 Feet (Locations) / 90 (Time) Feet
- Time of Day Clock in HH:MM in Military Time Format.
- Windows Based PC Software to Create and Send Text Messages to Each LED Field
- IR Remote Included
- Mounting Brackets Included
- Power: 120VAC @ 60Hz. / 220VAC @ 50Hz. 6-Foot Line Cord Provided

### Electrical Specifications

Power Source	120VAC @ 60Hz. / 220VAC @ 50Hz.
Power Consumption	Max. 30 Watts with All LED Fields on
Current Draw	Typical 3A With All LED Fields on
Power Cord Length	6 Foot Business Plug

### Operation Specifications

Data input	Serial RS422 / IR remote
Communication	PC Software / IR Remote / <b>No Wireless or Cellular Options</b>

### Physical Specifications

Indoor / Outdoor	Designed to be installed and viewed <b>indoors</b>
Operating Environment	32 to 120 Degrees (0 to 49 Degrees C) / 0 to 95% Humidity
Dimensions	63"L x 8" W x 2.5" D
Weight	Approx. 30 Lbs.
Number of LED Fields	Four Time Fields
Character Height	2.0" High for Time / 1.6" High for Locations
Viewing Distance	From 70 to 90 Feet Away
LED Color	Full Color
LED Intensity	About 5500cd/m2 Super-Bright LEDS
Power Supply	Yes
Enclosure Color / Material	Powder Coated Black / Aluminum
Face	Bronze Acrylic Face
Enclosure Rating	NEMA1 Rated for Indoor Use
Mounting Method	Two Mounting Brackets Included for Hanging / Wall Mount
Limited Warranty	One-Year Factory Service

For further information visit our website [www.electronicdisplays.com](http://www.electronicdisplays.com) or call us at 1-800-367-6056 and contact a sales representative.  
ledsales@electronicdisplays.com

