

SRX Single and Full-Color Matrix

CALL FOR PRICE

**Quantity Discounts
AVAILABLE**



PC* / IR Remote (Included)
*not included



SRX-09616-20-MC

Case Size: 81.3" x 13.8" x 6.0"

LED Array: 16 Rows x 96 Columns

Pitch: 20mm

What's in the Box:

- Bright, Multi-Color Outdoor Display w/IR Remote and Batteries
- PC-Based Software
- 15 Foot, RS232 Data Cable
- 12 Foot, 120VAC Power Plug
- Mounting Brackets
- Complete Instructions
- Factory Service **Five-Year** Warranty on Parts and Labor
- Unlimited Technical Phone Support

Features

- Flexibility of Single or Multi-Line Messages
- Display Logos or Graphics with .BMP Files
- Six Character Fonts
- Front Serviceable Cabinet
- Low Power Consumption
- Direct Drive Technology

Displayed Character Information:

Number of Text Height	Number of Characters	Lines
4.75 Inches	17	One
2.0 inches	26	Two
1.4 Inches	32	Two

Common Types of Data Displayed

*Store Specials
Hours of Operation
Holiday Greetings
Employee Messages
Sales Statistics
Safety Messages*

Electronic Displays, Inc.



Specialists in Information Displays

SRX Single and Full-Color Matrix

The **SRX800-09616-20-N4** is a ready-to-run outdoor message sign board. Using 5mm Super bright tri-color LEDS, it can store up to 100 messages or a total length of characters not to exceed 7000. Ideal to display sales, hours of operations, special events and much more.

Multi-color message centers let you specify red, green and yellow characters or any combination of these to get your message across. Ideal to promote your business, safety messages, employee messages and more.

Connectivity Options


LAN Device	ED2160	\$185.00	Quick Reference Guide
USB Port Device (\$24.99)	ED3150	\$24.95	
50 Ft. of Extended Data Cable	ED1150	\$29.95	
90 Ft. of Extended Data Cable	ED1190	\$49.95	

Electrical Specifications

Power Source	120 Volts AC / 60 Hz.
Power Consumption	Max. 75 Watts (All LEDS On)
Current Draw	Typical 1.5 (All LEDS On)
Power Cord Length	12 Foot Business Plug

Physical Specifications

Outdoor Operating Environment	Designed to be Installed and Viewed Outdoors -15° to 120° F (-26°C to 49°C) / 0 - 95% Humidity
Dimensions	81.3" L x 18.3" H x 6" D
Weight	Approx. 140 Lbs. Per Side
Number of Digits	See Above Chart
Character Height	See Above Chart
Viewing Distance	See Above Chart
LED Color	Red / Green / Amber
LED Intensity	10 MCD High-Intensity Multi-Color LEDS
U.L. Listed Power Supply	Yes
Enclosure Color / Material	Black Steel
Enclosure NEMA Rating	NEMA4 Rated
Mounting Method	Two Brackets Provided For Side or Top Mounting Mounting Methods (.pdf)
Limited Warranty	Factory Service Five-Year Parts & Labor



135 S. Church Street • Addison, IL 60101
Phone: 630-628-0658 • Toll-Free: 800-367-6056 • Fax: 630-628-0936
www.electronicdisplays.com

PROUDLY MADE IN THE U.S.A.

SRX Single and Full-Color Matrix

Model Number	Matrix/Pixel Pitch	Screen / Cabinet (6"D)	Color(s)	Characters
SRX16R-12816-20	16 x 128 pixels / 20mm	12.6"H x 100.7"W / 18"H x 106"W	Red	2 lines 5.5" / 1 line 11.8"
SRX16T-12816-20	16 x 128 pixels / 20mm	12.6"H x 100.7"W / 18"H x 106"W	Tri-Color	2 lines 5.5" / 1 line 12.6"
SRX16R-19216-20	16 x 192 pixels / 20mm	12.6"H x 151.1"W / 18"H x 156"W	Red	2 lines 5.5" / 1 line 11.8"
SRX16T-19216-20	16 x 192 pixels / 20mm	12.6"H x 151.1"W / 18"H x 156"W	Tri-Color	2 lines 5.5" / 1 line 11.8"
SRX24R-12824-20	24 x 128 pixels / 20mm	18.9"H x 100.7"W / 25"H x 106"W	Red	3 lines 5.5" / 1 line 11.8" / 1 line 18.9"
SRX24T-12824-20	24 x 128 pixels / 20mm	18.9"H x 100.7"W / 25"H x 106"W	Tri-Color	3 lines 5.5" / 1 line 11.8" / 1 line 18.9"
SRX24R-19224-20	24 x 192 pixels / 20mm	12.6"H x 151.1"W / 18"H x 156"W	Red	3 lines 5.5" / 1 line 11.8" / 1 line 18.9"
SRX24T-19224-20	24 x 192 pixels / 20mm	18.9"H x 151.1"W / 25"H x 156"W	Tri-Color	3 lines 5.5" / 1 line 11.8" / 1 line 18.9"
SRX32R-12832-20	32 x 128 pixels / 20mm	25.2"H x 100.7"W / 30"H x 106"W	Red	4 lines 5.5" / 2 lines 11.8" / 1 line 18.9"
SRX32T-12832-20	32 x 128 pixels / 20mm	25.2"H x 100.7"W / 30"H x 106"W	Tri-Color	4 lines 5.5" / 2 lines 11.8" / 1 line 18.9"
SRX32R-19232-20	32 x 192 pixels / 20mm	25.2"H x 151.1"W / 30"H x 156"W	Red	4 lines 5.5" / 2 lines 11.8" / 1 line 18.9"
SRX32T-19232-20	32 x 192 pixels / 20mm	25.2"H x 151.1"W / 30"H x 156"W	Tri-Color	4 lines 5.5" / 2 lines 11.8" / 1 line 18.9"
SRX24R-12824-31.25	24 x 128 pixels / 31.25mm	29.5"H x 157.4"W / 35"H x 163"W	Red	3 lines 8.6" / 1 line 11.8" / 1 line 29.5"
SRX32R-19232-31.25	24 x 128 pixels / 31.25mm	39.4"H x 236.2"W / 45"H x 241"W	Red	4 lines 8.6" / 2 lines 11.8" / 1 line 29.5"

Electronic Displays, Inc.



Specialists in Information Displays

135 S. Church Street • Addison, IL 60101

Phone: 630-628-0658 • Toll-Free: 800-367-6056 • Fax: 630-628-0936

www.electronicdisplays.com

PROUDLY MADE IN THE U.S.A.