# ELECTRONIC DISPLAYS INC.

www.electronicdisplays.com



## ED225MQC-3L-N1-IR



Efficiency or Difference Scoreboard (\*Please specify when ordering\*). 3 Lines of information. 2.25" High Numbers. Photo-Eye and IR Remote Included. Production scoreboard visual management tool for all production areas measuring production performance verses target real time. This lean board allows leadership and support personnel to monitor production progress hour by hour and identify issues from distance for abnormality and production downtime losses from a distance. Great visual management tool for production cell support personnel.

- Standalone, Plug-n-Run Display
- Bright 2.25" High LED Display.
- Includes Photo-Eye and IR remote for Programming
- 3 Lines of Numeric Text
- Bright Lettering (White, Vinyl)
- Mounting Brackets

### **Contact EDI Today**

For further information visit our website <a href="www.electronicdisplays.com">www.electronicdisplays.com</a> or call us at 1-800-367-6056 and contact a sales representative.

Henry Bilitzki x 305 | Dennis Holmberg x 306

Or email us at ledsales@electronicdisplays.com

# **ED225MQC-3L-N1-IR Specifications**

## **Electrical Specifications**

Power Source	120VAC @ 60Hz.
Power Consumption	Max. 10 Watts
Current Draw	Typical 500 mA
Power Cord Length	4 Foot Business Plug

#### **Operational Specifications**

Data Input	IR Remote for Programming
Contact Closure	Photo-eye Provided

## **Physical Specifications**

Indoor / Outdoor	Designed to be installed and viewed outdoor
Operating Environment	32 to 120 Degrees (0 to 49 Degrees C) / 0 to 95% Humidity
Dimensions	23.5" L x 16" W x 3"D
Weight	Approx. 8 Lbs.
Number of Digits	Four (4) Digits
Character Height	2.25" High Numbers
Viewing Distance	Up to 90 Feet Away
LED Color / Material	Red
LED intensity	10 MCD High-Intensity Digits
Power Supply	Yes
Enclosure Color / Material	Black Aluminum
Enclosure NEMA Rating	NEMA 4 Rated
Mounting Method	Two Mounting Brackets Included for Hanging / Wall Mount
Limited Warranty	One-Year Factory Service